



MATERIALS

Honey Bunny

6(6) 7 (7) 8 (9) 10 (11) 12 skeins of color
Hint of Pink (50)

Crochet hook 6 mm (US J/10)

YARN QUALITY



Honey Bunny, Hobbii

100 % Polyester

100 g / 3.5 oz = 120 m / 131 yds

GAUGE

10cmx10 cm (4" x 4") = 9 sts x 5 rounds

ABBREVIATIONS

BPdc / FPdc = back post / front post dc ch
= chain

dc = double crochet

dc2tog = dc 2 sts together

fo = fasten off

sc = single crochet

sp(s) = space(s)

ss = slip stitch

st(s) = stitch(es)

rs / ws = right side / wrong side

() = instructions within brackets are
worked in the same st or sp

Clusters = groups of 3 dc together

SIZE

XS(S)M (L) XL (2XL) 3XL (4XL) 5XL

MEASUREMENTS

Width: 45 (50) 55 (60) 65 (70) 75 (80) 85 cm /
17.8" (19.7") 21.7" (23.6") 25.6" (27.6") 29.5"
(31.5") 33.5" Length: 50 (50) 50 (55) 55 (55)
60 (60) 60 cm / 19.7" (19.7") 19.7" (21.7")
21.7" (21.7") 23.6" (23.6") 23.6"

PATTERN INFORMATION

Make yourself the perfect, madeto
measure,

soft and cuddly cardigan. You won't believe
how cosy this is until you put it on!

This pattern is super customisable and very
easy to adjust to your own measurements.

The cardigan consists of two pieces worked
together at the end. The color

combinations

are endless - have fun with it!

The pattern is made for the intermediate
skilled crocheter.



MAIN BODY

Make Two

Ch5, ss to join into a loop.

Round 1: ch2, 2 dc into loop, *ch2, 3 dc* five times, ch2, ss to starting ch2 to join, turn. **Round 2:** ss into next sp, ch2, 2 dc in same sp. *3 dc, ch2, 3 dc* into each of the next 5 sps, 3 dc in the final sp, ch2, ss to starting ch2 to join, turn.

Round 3: ss into next sp, ch2, 2 dc in same sp. *3 dc in each sp between clusters from the previous round, (3 dc, ch2, 3 dc) all in next ch2 sp* five times. 3 dc in each sp between clusters from the previous round, (3 dc, ch2) in final ch2 sp, ss to starting ch2 to join, turn.

Repeat Round 3 until you have approx. 10 (11) 12 (12) 13 (14) 15 (16) 17 rounds giving you an armhole depth of approx. 17 (18) 20 (20) 22 (23) 25 (26) 28 cm. You can work fewer or more rounds here to make the armhole the right depth for you. DO NOT FO, work Shoulder Seaming.

SHOULDER SEAMING

Fold your work as shown with RS touching. Ss into the next ch2 sp, ch1, and seam your shoulder by working 1 sc through each st on both edges to seam. When you reach the next ch 2 sps, join them with a sc and turn your work RS out. DO NOT FO, work Body Increase Rounds.



BODY INCREASE ROUNDS

Round 1: ss to next sp, ch2, 1 dc in sp at base of ch, *3 dc in each sp between clusters until you reach the next ch2 sp, (3 dc, ch2, 3 dc) in ch 2 sp* twice, 3 dc in each sp between clusters until you reach the final ch2 sp, 2 dc in the final sp, ss to starting ch2 to join, turn. **XS & S move on to Back Width.**

Round 2: ch2, skip over sp at base of ch, *3 dc in each sp between clusters until you reach the next ch 2 sp, (3 dc, ch2, 3 dc) in ch 2 sp* twice, 3 dc in each sp between clusters until you reach the final ch 2 sp, 1 dc in the final sp, ss to starting ch2 to join, turn.

M move on to Back Width.

Round 3: ss into next sp, ch2, 1 dc in sp at base of ch. *3 dc in each sp between clusters until you reach the next ch 2 sp, (3 dc, ch2, 3 dc) in ch 2 sp* twice, 3 dc in each sp between clusters until you reach the final ch 2 sp, 2 dc in the final sp, ss to starting ch2 to join, turn. **Repeat Rounds 2 & 3 until you have approx. 11 (12) 14 (15) 16 (17) 18 (20) 21 rounds INCLUDING your Main Body Rounds, to give you a width of approx. 22 (25) 28 (30) 32 (35) 37 (40) 42 cm. Finish on a Round 3 Repeat. Again, you can work more or fewer rounds here to suit you. DO NOT FO, work Back Width.**

Back Width

Remember when working your Back Width for your second panel to make sure it sits on the opposite side to the first, so your pieces mirror each other.

Row 1: ss to sp between 2 dc clusters from the start and end of the previous round, ch2, 3 dc in each sp between clusters until you reach the next ch 2 sp, 1 dc in ch 2 sp, turn.

Row 2: ch2, 1 dc in sp at base of ch, 3 dc in each sp between clusters from the previous row, 2dc in the final sp, FO.

Length

Working additional length here is entirely optional and customisable, work as many or as few rows as you like to make your cardi the right length for you. Meterage estimates are based on an approx. length of 50 (50) 50 (55) 55 (55) 60 (60) 60 cm.

Row 1: Join your yarn in the ch 2 sp at the front bottom edge of your cardi, ch2, 1 dc in sp at base of ch, 3 dc in each sp between clusters until you reach your Back Width Rows. Skip over first row end, 2 dc in the second row end, turn.

Row 2: ch2, 3 dc in each sp between clusters from the previous row, 1 dc in the final st, turn.

Row 3: ch2, 1 dc in sp at base of ch, 3 dc in each sp between clusters from the previous row, 2 dc in final sp, turn.

Repeat Rows 2 & 3 until you reach your desired length then FO. For your second panel work Back Seaming. If you end on a Row 3 repeat you can continue without cutting your yarn.

Back Seaming

Join your yarn at the bottom back of your work, ch1, with RS of both pieces together seam your panels by working 2 sc through each Length row end, then 1 sc through each Back Width st on both edges to join, FO and weave in your ends.

SLEEVE LENGTH

Round 1: Join your yarn in any sp between clusters around the sleeve edge, ch2, 2 dc in sp at base of ch, 3 dc in each sp between clusters around. When you reach your seam work 2 dc in both ch 2 sps then continue around. Ss to join, turn.

When working Round 2, treat your 2 dc clusters by the seam as one 3 dc cluster, working into the sp either side of them but NOT between them.

Round 2: ss to next sp, ch2, 2 dc in sp at base of ch, 3 dc in each sp between clusters from the previous round, ss to join, turn.

Repeat Round 2 until your sleeve is 5cm short of the the desired length, then move on to Cuff with RS facing. I worked a total of 7 rounds.

CUFF

Round 1: ch2, dc in each st from the previous round, do not turn.

Round 2: ch2, dc2tog around your sleeve edge, ss to join, do not turn. **NOTE: You can work fewer decreases here for a looser cuff.**

Round 3: ch2, alternate FPdc and BPdc around, ss to join, do not turn.

Round 4: Repeat Round 3.

Round 5: Repeat Round 3, FO and weave in your ends.

Edging.

Round 1: Join your yarn in the Length row end at the front left of your cardi, ch1, work 2 sc in each row end and 1 sc in each st around the entire front edge of your cardi, FO and weave in your ends.